

TRADEMARKS :- STEELWELL[®] AUXILIARY[®] KAFAL TREE[®]

**Manufacturing Furniture For:-
Hospital, School, Office, Cafe,
Hotel/Canteen, Commercial Kitchen
Equipment/ Carts, Home Furniture**

Factory Name: - Steelwell Engineering & Service

Our Valuable Customers

 CMO Office Haridwar	 CMO Office Rudraprayag	 District Court Uttarkashi	 CMO Office Pauri	 Doon Medical College, Dehradun	 JAMMU AND KASHMIR MEDICAL SUPPLIES CORPORATION LTD.
 Rishikul rajkiya ayurvedic pharmacy	 CMO Office Tehri	 District Ayurvedic and unani office, Dehradun	 Uttarakhand Ayurved University, Harrawala	 Uttarakhand Power Corporation Limited, Kotdwar	 BHEL, HARIDWAR
 DPS Daulatpur Jamalpur, Haridwar	 DPS Pherapur Ramkhera, Haridwar	 Mount Litera Zee School, Haridwar	 Wisdom International School, Haridwar	 The Horizon School, Dehradun	 Jawahar Navodaya Vidyalaya
 Doon university, Dehradun	 C & S Electric	 godrej & boyce mfg. co. ltd	 Amardeep Designs (India) Pvt. Ltd.	 Flipkart Internet Private Limited	 ITCLIMITED
 Ultimate Flexipack Limited	 Patanjali Fit India	 MAKINO AUTOMOTIVE	 Jaya Maxwell Hospital, Hardwar	 Lotus Beauty Care Products Private Limited	 Ravian Life Science Pvt. Ltd.

INDEX

Hospital Beds	1---14
Recovery trolley	15---17
Labor Tables	18---21
Treatment Couch & Chair Bed	22
ECG, Monitor, Diathermy Trolley	23---24
Examination Table	25---29
Stretchers	30---33
Stools	34---35
Bed Side locker	36---38
Over Bed Table	39---41
Saline Stands	42---43
Wheel Chair	44---45
Treatment Trolley	46---48
Bed Side Screen	49---50
Crash Carts & Surgeons Stool	51---52
Linear bag & bin Trolley	53---54
Baby cot & syringe pump stand	55---56
Cylinder Trolley	57
Machinery equipment, accessories & Autoclave	58---67



HOSPITAL FURNITURE



ICU MECHANICAL BED

SES-HB-001



DESCRIPTION:

1. ADVANCE LINEAR ACTUATOR SYSTEM 04 PCS MOTOR, 01 PC CONTROL BOX, 01 PCS HANDSET.
2. FOUR PIECES INDIVIDUAL BUTTERFLY SIDE-RAILS,ABS MOULDED.
3. HEAVY TYPE ABS MOULDED HEAD AND FOOT PANEL SUNMICA FEATED WITH LOCKING AND CORNER BUFFER.
4. FRAMEWORK MADE-UP OF M.S. TUBES.
5. 4 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S. SHEET.
6. BED MOUNTED ON 5" CASTORS, WITH 2 BRAKES.
7. S.S. TELESCOPIC I.V. ROD WITH 4 LOCATIONS.
8. HOLDER FOR URINE BAG.
9. SITTING POSITION ADJUSTABLE.
10. FINISH: PRETREATED & EPOXY POWDER COATED.
11. OVERALL APPROX. SIZE: 82L X 36W X 18-27H INCH.
12. POSITIONS OBTAINED BY HAND REMOTE

OPTIONAL :

- NURSE CONTROL SYSTEM
- MANUAL CPR
- ICU BED MATTRESS

DESCRIPTION:

1. FOUR PIECES INDIVIDUAL BUTTERFLY SIDE-RAILS, ABS MOULDED.
2. HEAVY ABS HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
3. FRAMEWORK MADE-UP OF M.S TUBES.
4. 4 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S SHEET.
5. BES MOUNTED ON 5" IMPORTED CASTORS, 2 WITH BRAKES.
6. S.S TELESCOPIC I.V ROD WITH 4 LOCATIONS.
7. HOLDER FOR URINE BAG.
8. FINISH: PRETREATED & EPOXY POWDER COATED.
9. OVERALL APPROX. SIZE: 82L X 36W X 18-27H INCH
10. POSITIONS OBTAINED BY SMOOTH CRANK SYSTEM WITH FOLDABLE HANDLE.

ICU ELECTRIC BED

SES-HB-002



ICU ELECTRIC BED SES-HB-003



DESCRIPTION:

1. ADVANCE LINEAR ACTUATOR SYSTEM [03 PCS MOTOR,01 PC CONTROL BOX,01 PCS HANDSET]
 2. 3 MANUALLY CRANK SYSTEM.
 3. TWO PIECES INDIVIDUAL IMPORTED COLLAPSIBLE SIDE RAILINGS.
 4. ABS MOULDED HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
 5. FRAMEWORK MADE-UP OF M.S. TUBES.
 6. 4 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S. SHEET.
 7. BED MOUNTED ON 5" CASTORS, WITH 4 BRAKES.
 8. S.S. TELESCOPIC I.V. ROD WITH 4 LOCATIONS.
 9. HOLDER FOR URINE BAG.
 10. SITTING POSITION ADJUSTABLE.
 11. FINISH: PRETREATED & EPOXY POWDER COATED.
 12. OVERALL APPROX. SIZE: 82L X 36W X 18-27H INCH
 13. THREE POSITIONS OBTAINED BY HAND REMOTE
- OPTIONAL: OVER BED TABLE & 4" MATTRESS

DESCRIPTION:

1. ADVANCE LINEAR ACTUATOR SYSTEM [03 PCS MOTOR,01 PC CONTROL BOX,01 PCS HANDSET]
2. FOUR PIECES INDIVIDUAL BUTTERFLY SIDE-RAILS, ABS MOULDED.
3. ABS MOULDED HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
4. FRAMEWORK MADE-UP OF M.S. TUBES.
5. 4 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S. SHEET.
6. BED MOUNTED ON 5" CASTORS, WITH 4 BRAKES.
7. S.S. TELESCOPIC I.V. ROD WITH 4 LOCATIONS.
8. HOLDER FOR URINE BAG.
9. SITTING POSITION ADJUSTABLE.
10. FINISH: PRETREATED & EPOXY POWDER COATED.
11. OVERALL APPROX. SIZE: 82L X 36W X 18-27H INCH
12. POSITIONS OBTAINED BY HAND REMOTE

ICU ELECTRO MECHANICAL BED



SES-HB-004

ICU ELECTRIC BED Hi-End

SES-HB-005



DESCRIPTION:

1. FOUR SETS MANUAL CRANK SYSTEM COLD STEEL PLATE WHOLLY MOLDED SURFACE.
 2. FOUR PIECES INDIVIDUAL IMPORTED BUTTERFLY SIDE RAILINGS, ABS MOULDED.
 3. IMPORTED ABS MOULDED HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
 4. DEGREE SHOW FUNCTION AT BED RAIL.
 5. INTEGRATED STAMPING FRAME AND TREATED WITH ELECTROSTATIC SPRAYING, ANTI-AGING , ANTI-RUST
 6. BED MOUNTED ON 5" CASTORS, WITH CENTRAL LOCKING SYSTEM.
 7. S.S. TELESCOPIC I.V. ROD WITH 4 LOCATIONS.
 8. HOLDER FOR URINE BAG.
 9. SITTING POSITION ADJUSTABLE.
 10. FINISH: PRETREATED & EPOXY POWDER COATED.
 11. OVERALL APPROX. SIZE: 82L X 36W X 18-27H INCH
 12. MAXIMUM LOADING CAPACITY: 220KG
- OPTIONAL : ICU BED MATTRESS

DESCRIPTION:

1. ADVANCE LINEAR ACTUATOR SYSTEM [04 PCS MOTOR,01 PC CONTROL BOX,01 PCS HANDSET]
 2. FOUR PIECES INDIVIDUAL IMPORTED BUTTERFLY SIDE RAILINGS, ABS MOULDED.
 3. INSTANT CPR RELEASE DEGREE SHOW FUNCTION AT BED RAIL.
 4. IMPORTED ABS MOULDED HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
 5. FRAMEWORK MADE-UP OF M.S. TUBES.
 6. 4 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S. SHEET.
 7. BED MOUNTED ON 5" IMPORTED CASTORS (MADE IN TAIWAN), WITH CENTRAL LOCKING SYSTEM.
 8. S.S. TELESCOPIC I.V. ROD WITH 4 LOCATIONS.
 9. HOLDER FOR URINE BAG.
 10. SITTING POSITION ADJUSTABLE.
 11. FINISH: PRETREATED & EPOXY POWDER COATED.
 12. OVERALL APPROX. SIZE: 82L X 36W X 18-27H INCH
 13. FIVE POSITIONS OBTAINED BY HAND REMOTE
- OPTIONAL:**
- MANUAL CPR WITH SYMBOL.

LUXURY ICU MECHANICAL BED



SES-HB-006

ICU MECHANICAL BED



SES-HB-007

DESCRIPTION:

1. TWO PIECES INDIVIDUAL DETACHABLE SIDE-RAILS, STAINLESS STEEL.
 2. HEAVY ABS MOULDED HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
 3. FRAMEWORK MADE-UP OF M.S TUBES.
 4. 4 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S.SHEET.
 5. BED MOUNTED ON 5" CASTORS, 2 WITH BRAKES.
 6. S.S TELESCOPE I.V ROD WITH 4 LOCATIONS.
 7. HOLDER FOR URINE BAG.
 8. FINISH: PRE-TREATED & EPOXY POWDER COATED.
 9. OVERALL APPROX. SIZE: 82L X 35W X 24-31H INCH.
 10. POSITIONS OBTAINED BY SMOOTH CRANK SYSTEM WITH FOLDABLE HANDLE
- OPTIONAL : ICU BED MATTRESS

DESCRIPTION:

1. FRAME WORK MADE OF RECTANGULAR M.S TUBE.
 2. FOUR SECTIONS TOP MADE OF PERFORATED M.S SHEET.
 3. BACK REST, KNEE REST & HI-LOW
 4. IMPORTED HEAVY TYPE MET SHOE ABS HEAD AND FOOT PANELS.
 5. IMPORTED COLLAPSIBLE ALUMINUM SAFETY SIDE RAILINGS.
 6. SS IV ROD WITH FOUR LOCATIONS.
 7. BED MOUNTED 4 PCS 5" CASTORS WITH 2 BARKS (JOHNSON)
 8. OVERALL SIZE 82L X 35W X 24-31H INCH
 9. FINISH: EPOXY POWDER COATED.
- OPTIONAL : ICU BED MATTRESS

ECO PLUS ICU MECHANICAL BED



SES-HB-008

HOSPITAL FOWLER BED WITH OVERBED TABLE



SES-HB-009

DESCRIPTION:

1. TWO PIECES INDIVIDUAL IMPORTED COLLAPSIBLE SIDE RAILINGS.
 2. DOUBLE MANUAL CRANK SYSTEM.
 3. FRAMEWORK MADE-UP OF MS TUBES.
 4. ABS BED HEAD BOARD AND BED SURFACE, FOUR ALUMINUM BAR FENCE AND DINING TABLE CAN GO UP & DOWN.
 5. BED MOUNTED ON 4" UNIVERSAL CASTORS WITH 2 BRAKES.
 6. FOUR LOCATIONS FOR I.V. ROD.
 7. FINISH: PRE-TREATED & EPOXY POWER COATED.
 8. OVERALL APPROX SIZE: 82L X 36W X 24H INCH
- OPTIONAL :
- OVER BED TABLE
 - BED MATTRESS

DESCRIPTION:

1. ADVANCE LINEAR ACTUATOR SYSTEM (02 PCS MOTOR, 01 PC CONTROL BOX, 01 PCS HANDSET)
 2. TWO PIECES INDIVIDUAL DETACHABLE SIDE-RAILS, STAINLESS STEEL.
 3. IMPORTED ABS MOULDED HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
 4. FRAMEWORK MADE-UP OF M.S TUBES.
 5. 4 SECTION TOP MADE -UP OF OVAL PERFORATED CRCA M.S SHEET.
 6. BED MOUNTED ON 4" CASTORS, 2 WITH BRAKES.
 7. FINISH: PRE-TREATED & EPOXY POWDER COATED.
 8. OVERALL APPROX. SIZE: 82L X 36W X 24H INCH.
 9. BED IS ELECTRIC OPERATED POSITIONS OBTAINED BY REMOTE CONTROL.
- OPTIONAL: FOWLER BED MATTRESS



SES-HB-010

FOWLER ELECTRIC BED



SES-HB-011
HOSPITAL FOWLER BED

DESCRIPTION:

1. TUBULAR HEAD AND FOOT BOWS OF UNEQUAL HEIGHT WITH VERTICAL TUBE SUPPORT.
2. FRAMEWORK MADE-UP OF M.S. TUBES.
3. 4 SECTION TOP MADE OF LASER WELDED CRCA M.S.SHEET.
4. FOUR LOCATIONS FOR I.V.ROD.
5. IMPORTED M.S. DROP SIDE RAILINGS.
6. FINISH: PRETREATED & EPOXY POWER COATED.
7. OVERALL APPROX SIZE: 82L X 36W X 24H INCH
OPTIONAL : FOWLER BED MATTRESS

HOSPITAL FOWLER BED WITH BUTTERFLY RAILLING

DESCRIPTION:

1. FOUR PIECES INDIVIDUAL BUTTERFLY SIDE RAIL, ABS MOULDED.
 2. HEAVY ABS MATSU HEAD AND FOOT PANE
 3. FRAMEWORK MADE-UP OF M.S. TUBES.
 4. 4 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S. SHEET.
 5. BED MOUNTED ON 4" CASTORS, WITH 2 BRAKES.
 6. FOUR LOCATIONS FOR I.V.ROD.
 7. FINISH: PRETREATED & EPOXY POWER COATED.
 8. OVERALL APPROX. SIZE: 82L X 36W X 24H INCH.
 9. POSITIONS OBTAINED BY SMOOTH CRANK SYSTEM WITH FOLDABLE HANDLE.
- OPTIONAL: FOWLER BED MATTRESS



SES-HB-012

HOSPITAL FOWLER BED

SES-HB-013



DESCRIPTION:

1. FRAME WORK MADE OF RECTANGULAR M.S TUBE
 2. 4 SECTION TOP MADE OF PERFORATED SHEET
 3. BACK REST, KNEE REST POSITIONS MANUFACTURED BY SEPARATE SCREW FROM FOOT END
 4. ABS MOULDED HEAD AND FOOT PANELS
 5. STAINLESS STEEL IV ROD WITH FOUR LOCATIONS
 6. BED MOUNTED ON 100MM DIA CASTOR (TWO WITH BRAKES)
 7. OVERALL SIZE 81L X 35W X 24H INCH
 8. FINISH: EPOXY POWDER COATED.
- OPTIONAL : FOWLER BED MATTRESS

DESCRIPTION:

1. FRAME WORK MADE OF RECTANGULAR STEEL TUBES.
2. 4 SECTIONS TOP MADE OF PERFORATED M.S SHEET WITH MATTRESS GUARDS.
3. BACK REST AND KNEE REST POSITIONS MANEUVERED BY SEPARATE SCREW FROM FOOT END
4. TUBULAR HEAD AND FOOT BOW
5. FOUR IV ROAD LOCATIONS
6. BED MOUNTED ON 100M DIA CASTOR (TWO WITH BRAKES)
7. OVERALL SIZE: 81L X 35W X 24H INCH
8. FINISH: EPOXY POWDER COATED.

OPTIONAL :

- FOWLER BED MATTRESS
- SIDE RAILING MS



SES-HB-014
HOSPITAL FOWLER BED

SEMI-FOWLER BED ELECTRIC



SES-HB-015

DESCRIPTION:

1. ADVANCE LINEAR ACTUATOR SYSTEM [01 PCS MOTOR, 01 PCS CONTROL BOX, 01 PCS HANDSET]
2. ABS HEAD AND FOOT PANEL WITH LOCKING AND CORNER BUFFER.
3. FRAME WORK MADE OF RECTANGULAR M.S TUBE
4. 2 SECTION TOP MADE-UP OF OVAL PERFORATED CRCA M.S SHEET.
5. LEG FITTED WITH PVC STUMPS.
6. FOUR LOCATIONS FOR I.V ROD
7. FINISH: PRETREATED & EPOXY POWER COATED.
8. OVERALL SIZE: 82L X 36W X 24H INCH
9. POSITIONS OBTAINED BY HAND REMOTE.
10. BACK REST ELEVATION

OPTIONAL:

SEMI FOWLER BED MATTRESS, COLLAPSIBLE SIDE RAILINGS, WHEELS.

SEMI-FOWLER BED MANUAL

DESCRIPTION:

1. FRAME WORK MADE OF RECTANGULAR M.S TUBE
2. 2 SECTION TOP MADE OF PERFORATED M.S. SHEET.
3. BACK REST SECTION , MANUFACTURED BY SCREW HANDLE FROM FOOT END
4. MATSU HEAD & FOOT PANELS.
5. FOUR LOCATIONS FOR I.V ROD
6. OVERALL SIZE: 78L X 35W X 24H INCH
7. FINISH: EPOXY POWDER COATED

OPTIONAL: SEMI FOWLER BED MATTRESS, COLLAPSIBLE SIDE RAILINGS, WHEELS.



SES-HB-016

**SEMI FOWLER BED
WITH OVER BED TABLE**



SES-HB-017

DESCRIPTION:

1. TWO PIECES INDIVIDUAL IMPORTED COLLAPSIBLE SIDE RAILINGS.
 2. DOUBLE MANUAL CRANK SYSTEM.
 3. FRAMEWORK MADE-UP OF MS TUBES.
 4. ABS BED HEAD BOARD AND BED SURFACE, FOUR ALUMINUM BAR FENCE AND DINING TABLE CAN GO UP & DOWN.
 5. BED MOUNTED ON 4" UNIVERSAL CASTORS WITH 2 BRAKES.
 9. FOUR LOCATIONS FOR I.V. ROD.
 10. FINISH: PRE-TREATED & EPOXY POWER COATED.
 11. OVERALL APPROX SIZE: 82L X 36W X 24H INCH
- OPTIONAL: OVER BED TABLE, BED MATTRESS.

DESCRIPTION:

1. SINGLE FUNCTION MANUAL BED SUITABLE FOR BACK REST.
2. BED PLATFORM OF 2 SECTIONS UNIFORMLY PERFORATED 18G CRCA SHEET.
3. EASILY DETACHABLE SS HEAD & FOOT END BOWS.
4. TOP FRAME MADE FROM 60MM X 30MM ERW TUBE.
5. FOUR IV PROVISIONS WITH NYLON INSERTS TO
6. LEGS MADE OF SQUARE / ROUND TUBE.
7. PRE-TREATED & EPOXY POWDER COATED.
- OPTIONAL: SS SIDE RAILINGS, IV ROD, WHEELS & MATTRESS.
8. OVERALL SIZE: 81L X 35W X 24H INCH



**SES-HB-018
SEMI-FOWLER BED**



SES-HB-019
SEMI-FOWLER BED

DESCRIPTION:

1. FRAME WORK MADE OF RECTANGULAR M.S TUBE.
2. 2 SECTIONS TOP MADE OF PERFORATED CRCA M.S SHEET.
3. BACK REST SECTION OPERATED BY SCREW HANDLE FROM FOOT END
4. TUBULAR HEAD & FOOT BOWS OF UNEQUAL HEIGHT WITH VERTICAL BARS SUPPORT.
5. URINE BAG HOLDER.
6. LOCATIONS FOR FOUR I.V ROD
7. OVERALL SIZE: 78L X 35W X 24H INCH
8. FINISH: EPOXY POWDER COATED
- OPTIONAL: SEMI FOWLER BED MATTRESS.

DESCRIPTION:

1. FRAME WORK MADE OF ANGULAR M.S TUBE.
2. TOP MADE OF CRCA 18/20G SHEET
3. TUBULAR HEAD & FOOT BOWS OF UNEQUAL HEIGHT.
4. OVERALL SIZE: 72L X 35W X 24H INCH.
5. FINISH: EPOXY POWDER COATED
6. MS CRADLE MADE OF 5MM BAR EASILY DETACHABLE CAN BE ATTACHED TO THE BED.
7. PROVIDED MATTRESS.
- OPTIONAL: SS SIDE RAILINGS, IV ROD, WHEELS & MATTRESS.



SES-HB-020

SEMI-FOWLER BED WITH BABY COT

HOSPITAL PLAIN BED (DELUX)



SES-HB-021

DESCRIPTION:

1. FRAME WORK MADE OF RECTANGULAR
 2. TOP MADE OF PERFORATED CRCA MS SHEET.
 3. MET SHOE MOULDED HEAD & FOOT PANELS.
 4. LOCATIONS FOR FOUR I.V ROD
 5. OVERALL SIZE: 72L X 35W X 24H INCH.
 6. FINISH: EPOXY POWDER COATED
- OPTIONAL: PLAIN BED MATTRESS.

DESCRIPTION:

1. FRAME WORK MADE OF ANGULAR M.S TUBE.
 2. TOP MADE OF CRCA 18/20G SHEET
 3. TUBULAR HEAD & FOOT BOWS OF UNEQUAL HEIGHT.
 4. OVERALL SIZE: 72L X 35W X 24H INCH.
 5. FINISH: EPOXY POWDER COATED
- OPTIONAL: PLAIN BED MATTRESS.

HOSPITAL PLAIN BED (GENERAL)



SES-HB-022



SES-HB-023
PEDIATRIC BED

DESCRIPTION:

1. MAIN FRAME OF RECTANGULAR PIPE
 2. PERFORATED CRCA SHEET TOP
 3. TUBULAR HEAD & FOOT BOWS OF EQUAL HEIGHT WITH VERTICAL TUBE SUPPORTS.
 4. DROP DOWN TYPE SAFETY SIDE RAILINGS.
 5. SIZE: 54L X 30W X 24H INCH
 6. EPOXY POWDER COATED
- OPTIONAL: PEDIATRIC BED MATTRESS.

DESCRIPTION:

1. HEAD OF BED & END OF BED: HIGH QUALITY STEEL PIPE COATING HEAD OF THE BED.
 2. CONSTITUTION OF BED SURFACE: 20X40MM SQUARE TUBE SURFACE.
 3. GUARDRAIL: FIVE COLUMN ALUMINUM ALLOY GUARDRAIL.
 4. CASTORS: OPTIONAL.
 5. CRANKS: ABS TELESCOPIC HIDDEN HAND CRANK.
 6. OPTIONAL: SPECIAL WOODEN TABLE IV POLE.
 7. LOAD BEARING: LOAD BEARING 250KG
 8. OVERALL SIZE: 74L X 34W X 24H INCH
 9. BACK LIFTING ANGEL: 0-75°
- OPTIONAL: PEDIATRIC BED MATTRESS.



SES-HB-024
PEDIATRIC BED

MATERNITY AND CHILD HOSPITAL BED



SES-HB-025

DESCRIPTION:

1. DOUBLE MANUAL CRANK SYSTEM.
 2. PINK COLOR ABS HEAD & FOOT BOWS AND COLLAPSIBLE RAILINGS.
 3. 5" UNIVERSAL CASTORS WHEEL WITH TWO BRAKES.
 4. MAXIMUM LOAD CAPACITY: 220KG
 5. SS TELESCOPIC I.V. ROD WITH 4 LOCATIONS.
 6. SIZE: 87L X 38W X 22H INCH
- OPTIONAL : FOWLER BED MATTRESS

DESCRIPTION:

1. HEAD OF BED END OF BED: ABS AND STAINLESS STEEL COMPOUND
2. CONSTITUTION OF BED SURFACE: 20 X 4 MM SQUARE PIPE BED SURFACE, WITH A COMPLETE SET OF ALUMINUM ALLOY GANTRY TRACTION FRAME
3. GUARDRAIL: STAINLESS STEEL COLUMN PLUS FIVE COLUMN (OR SIX) ALUMINUM ALLOY GUARDRAIL
4. CASTERS: 125MM LUXURIOUS SILENT CASTERS



SES-HB-026

ORTHOPAEDIC FOWLER BED

FULLY MOTORISED HI-LO I.C.C.U BED



SES-HB-027

- HEAD & FOOT MOLDED PANELS WITH ABS TOP
- BACK SECTION & HI-LO OPERATED BY ACTULATOR
- TRENDLENBURG / REVERSE TRENDLENBURG & KNEESECTION OPERATED BY COLLAPSIBLE FIX
- HANDLE BOTH FUNCTION OPERATED BY TWO MOTORS
- 125MM DIA NON RUSTING CASTOR TWO WITH BREAKS & TWO WITHOUT BREAKS
- S.S IV POLE- TELESCOPIC
- TUCK DOWN MOLDED RAILING URINE BAG HOOK
- FINISH PRETESTED IN 11 TANK HOT PROCESS & EPOXY POWDER COATED
- FOUR SECTION 100MM FOAM MATTRESS WITH JOINTLESS REXINE COVER HAVING ZIP & BELT FACILITY SUITABLE FOR BED

- FIVE WAY FUNCTIONAL BED
- ALL FUNCTION I.E. BACKREST, KNEEREST, HEIGHT ADJUSTMENT, TRENDLENBURG & REVERSE
- TRENDLENBURG POSITION- OPERATED BY ACTULATOR ALL FUNCTION OPERATED BY FOUR MOTORS
- HEAD & FOOT SIDE MOLDED PANELS WITH ABS TOP
- TUCK DOWN MOLDED RAILING
- S.S. IV ROD- TELESCOPIC
- URINE BAG HOOK
- 125MM DIA NON RUSTING CASTOR WITH CENTRAL & DIRECTIONAL LOCKING SYSTEM
- ATTENDANT CONTROL PANEL
- BED WITH ANGLE INDICATOR & ONE REMOTE FOR PATIENT
- USE BED EXTENSION
- FINISH PRETESTED IN 11 TANK HOT PROCESS & EPOXY POWDER COATED.
- FOUR SECTION 100MM FOAM MATTRESS WITH JOINTLESS REXINE COVER HAVING ZIP & BELT FACILITY SUITABLE FOR BED



SES-HB-028

FULLY MOTORISED HI-LO I.C.C.U BED



SES-EB-001

EMERGENCY AND RECOVERY TROLLEY

DESCRIPTION:

1. TWO SECTION TOP
2. HEIGHT ADJUSTED BY FOOT OPERATED IMPORTED HYDRAULIC PUMP FROM 660MM TO 910MM.
3. GAS SPRING ASSISTED TRENDLENBURG / REVERSE TRENDIER BURG POSITIONS.
4. COMPLETE WITH CORNER BUFFERS, SYNTHETIC RUBBER COVERED HANDLES, SLIDING X-RAY CASSETTE, ACCESSORIES TRAY, OXYGEN CYLINDER HOLDERS' TELESCOPE IV ROD AND SWING AWAY S.S SIDE RAILS
5. FINISH: PRETREATED AND EPOXY POWDER COATED
6. FOUR SWIVEL CASTORS, 5" DIA, TWO WITH BRAKES
7. X-RAY TRANSLUCENT REMOVABLE STRETCHER, BACKREST RAISED ON RATCHET OVERALL APPROX SIZE: 83LX 26WX26-37H INCH.

DESCRIPTION:

1. OVERALL APPROX DIMENSION 83L X 26W INCH
2. TWO SECTION TOP WITH REMOVABLE X-RAY PERMEABLE STRETCHER, MADE OF PRE-LAMINATED BOARD SUPPORTED ON TUBULAR FRAME.
3. HEIGHT, TRENDLENBURG / REVERSE TRENDLENBURG POSITIONS OBTAINED BY CRANK MECHA - NISM WITH FOLDABLE HANDLES.
4. BACKREST RAISED ON RATCHET.
5. FOUR SWIVEL 5" CASTORS WITH TWO BRAKES.
6. SYNTHETIC RUBBER COVERED PUSHING HANDLES.
7. S.S.I.V. ROD ALONG WITH PROVISION AT TWO LOCATION AND COLLAPSIBLE SIDE RAILS.
8. PRE-TREATED & EPOXY POWER COATED FINISH.



SES-EB-002

EMERGENCY AND RECOVERY TROLLEY

DESCRIPTION:

1. SINGLE CRANK SYSTEM, HAND ROCKER SYSTEM CAN ADJUST THE STRETCHER
2. FRAME IS MADE BY ALUMINUM ALLOY; THE SURFACE IS MADE BY PE MATERIAL.
3. AUTOMATIC LIFTING GAURD RAIL MADE BY PE, SAFE AND RELIABLE AND CAN BE FIXED UPWARD AND DOWNWARD.
4. FOUR WHEELS ADOPT CENTRAL CONTROL SYSTEM, WHICH IS STABLE AND RELIABLE.
5. S.S. I.V. ROD ALONG WITH PROVISION.
6. SIZE: 77L X 26W X 22-34H INCH.

**LUXURIOUS
EMERGENCY
RECOVERY TROLLEY**



SES-EB-003



SES-EB-004

TRAUMACARE RECOVERY TROLLEY

DESCRIPTION:

1. FRAMEWORK MADE OF MILD STEEL EPOXY COATED FINISH WITH X-RAY TRANSLUCENT TOP.
2. IMPORTED COLLAPSIBLE SIDE RAILINGS.
3. EQUIPPED WITH HYDRAULIC PUMP.
4. EQUIPPED WITH I.V. POLE, DRAINAGE HOOK & BUMPER PROTECTION.
5. BACK REST ADJUSTABLE BY GAS SPRING, KNEE REST ADJUSTABLE BY SUPER SMOOTH CRANK, OTHER FUNCTION ADJUSTABLE BY HYDRAULIC MECHANISM.
6. 5" DIA NOISELESS CASTORS WITH SIMULTANEOUS BRAKING SYSTEM WHICH LOCKS / UNLOCK 2 CASTORS WHICH SINGLE PEDAL PRESS.
7. APPROX. SIZE : 82L X 34W X 24-36 INCH



SES-EB-005

TRANSFER STRETCHER CUM MEDICAL TROLLEY

DESCRIPTION:

1. THE MAIN STRETCHER MADE OF HIGH QUALITY ALUMINUM MATERIALS.
2. HIGH STRETCHER ALLOY ALUMINUM MATERIALS FOR THE TRACK, TO INCREASE STEADY AND RELIABILITY.
3. THE TWO SINGLE-STRETCHER CAN BE LIFT UP OR DOWN EASILY. TWO SINGLE-STRETCHERS CAN BE CONNECTING AT THE SAME LEVEL. THE BED FRAME CAN MOVE ON THE 2 STRETCHERS.
4. AT THE BED SLIDE O ANY SINGLE STRETCHER CAN BE LOCKED AUTOMATICALLY; AND HAS A INSURANCE EQUIPMENT.
5. CENTRAL CONTROL BRAKING SYSTEM IN EVERY SINGLE-STRETCHER, RELIABLE AND STEADY DURING THE MOVEMENT OR CONNECTION.
6. SIZE: 144L X 25W X 25-36H INCH

EMERGENCY TROLLEY



SES-EB-006

SPECIFICATION:-

- STRETCHER APPROX. SIZE - 1830MM L X 556MM W
- TWO SECTION TOP
- HEIGHT ADJUSTED BY FOOT OPERATED HYDRAULIC PUMP
- X-RAY PERMEABLE REMOVABLE STRETCHER
- BACK REST RAISED ON RATCHET
- TRENDELENBURG / REVERSE-TRENDELENBURG OPERATED ON GAS SPRING
- 200MM DIA. NON RUSTING CASTOR TWO WITH BREAKS COMPLETE WITH CORNER BUFFERS
- SLIDING X-RAY CASSETTE HOLDER
- ACCESSORIES TRAY
- OXYGEN CYLINDER ARRANGEMENT
- S.S. TELESCOPE I.V. ROD
- SWING AWAY SIDE RAILS
- FOAM MATTRESS WITH REXINE COVER SUITABLE FOR EMERGENCY & RECOVERY TROLLEY
- FINISH PRETESTED IN 11 TANK HOT PROCESS & EPOXY POWDER COATED

GYNAE EXAMINATION COUCH SES-ETC-001



Description:

- Overall Approx. Size: 72L X 20W X 26H inch
- Body frame work made of MS CRC tubes
- Two section cushioned top
- Complete with the pair of S.S lithotomy rod made 12 mm S.S Rod
- Back rest adjustable by hand lever
- Epoxy powder coated finish

OBSTETRIC DELIVERY TABLE

SES-ETC-002

Description:

- Approx. Dimension 74"L X 26" W X 24-31" H
- Rectangular & Square tube frame work mounted on PVC stumps
- Three sections cushioned top
- Backrest and leg section adjustable by hand lever
- Height adjustable a pair of knee crutches
- Pre treated & Epoxy Powder Coated



Description:

- Overall Approx. Size: 72L X 24W X 29H inch.
- Frame work made of s.s tube
- Two section cushioned top
- Complete with the pair of S.S lithotomic rod made
- 12 mm S.S Rod
- Back rest adjustable by hand lever
- Epoxy powder coated finish

SES-ETC-003

EXAMINATION & GYNAE TABLE



LABOUR OBS/GYNAE TABLE SES-ETC-004

Description:

- Overall Approx. Max size: 72"x27"x30"
- Frame work made of s.s tube.
- Legs fitted with PVC stumps.
- 3 sections top made of S.S. sheet.
- Back rest section adjustable crank mechanism from back end
- Leg end section adjustable crank mechanism from back end.
- The entire table top gives trendlenberg positions by crank system from back end
- Drop down s.s safety side railing is provided on 3 sides of the table.
- Height adjustable a pair of foam padded knee crutches.
- Patient hand grips made of s.s tubes.
- Supplied with waste collecting s.s bowl on s.s bracket and one S.S.I.V. Rod.



Description:

- Approx. Dimensions: 12"L x 30"W x 30"H.
- Tubular frame work made in two sections.
- Body section with legs mounted on PVC stumps.
- Leg section on swivel castors with brakes.
- Two section cushioned top.
- Height adjustable a pair of knee crutches.
- Pre treated & Epoxy powder coated.



SES-ETC-005

OBSTETRIC DELIVERY BED IN 2 PARTS

SES-ETC-006

Description:

- Wholly made of stainless steel 304G.
- Fixed height.
- SS Litho rod fitted with straps.
- Leg fitted with PVC stump.
- Size: 72" * 20" * 32"



LABOUR TABLE FIX (SS)

LABOUR DELIVERY ROOM BED (ELECTRIC)



SES-ETC-007

Description:

- Overall size: 74L X 26W X 24-31H inch.
- Tubular frame work mounted on 125mm dia central locking castors
- Three section top made of Bakelite Sheet with 3 section mattress
- Trendlenburg / Reverse Trendlenburg adjustment through remote control
- Height adjustment through remote and back section adjustment through remote
- Provided with a pair of Upholstery Lithotomic positions
- S.S telescopic IV Rod
- Detachable S.S Tray



SES-ETC-008

LABOUR DELIVERY ROOM BED (HYDRAULIC)

Description:

- Overall Size: 74L X 26W X 24-31H inch.
- Tabular Frame Work mounted on 125mm dia castor two with brakes.
- Three sections top made of M.S Pipe with fixed cushioned mattress.
- Trendlenburg / Reverse Trendlenburg Positions adjustment through Gear

Mechanism

- Height adjustment through Imported Hydraulic pump.
- Back section Adjustment through ratchet system.
- Leg end section can slide under the main section.
- Provide with a pair of Upholstery Lithotomic Positions.
- S.S Telescopic I.V Rod
- Detachable S.S Tray.

DELIVERY BED



SES-ETC-009

Description:

- Three section top
- Back rest adjustment by screw mechanism
- Leg section can be telescoped under back rest for lithotomy position
- Detachable panels
- Middle & leg section removable for cleaning
- Pair of upholstered lithotomy crutches mounted on S.S. Rods
- Trendelenburg adjusted by handle operated on screw mechanism
- 125mm Dia, non rusting castor two with break
- Two side detachable S.S. Rail
- Foam mattress with rexine cover suitable for delivery bed
- Finish pretested in 11 tank hot process & epoxy powder coated

- Three section top
- Steel Tubular frame work
- Back rest operated on ratchet arrangement
- Trendelenburg adjusted by handle operated on screw mechanism
- Leg section can be telescoped under Back rest for lithotomic position
- Pair of upholstered lithotomic Crutches mounted on S.S. Rods
- Three side detachable S.S. Rail
- Complete S.S. finishes met



SES-ETC-010

LABOUR TABLE - FULLY S.S.



**SES-HB-029
ATTENDENT BED**

DESCRIPTION:

1. FRAME WORK MADE OF RECTANGULAR M.S TUBE.
2. FITTED WITH PERFORATED CRCA SHEET TOP
3. STAINLESS STEEL TUBULAR HEAD & FOOT BOWS.
4. LEGS FITTED WITH PVC STUMPS.
5. OVERALL SIZE: 66L X 24W X 18H INCH
6. EPOXY POWDER COATED.



SES-HFC-001

DESCRIPTION:

1. OPEN SIZE: 28LX30X43H INCH.
2. FRAME WORK MADE OF MS TUBES
3. THE FABRIC IS PRESSED PVC ARTIFICIAL LEATHER
4. THREE ANGLES ADJUSTABLE WITH ROTATABLE ARM
5. ONE SIDE BASKET AND ONE IV ROD WILL BE PROVIDED
6. FINISH : EPOXY POWDER COATED

BLOOD TRANSFUSION CHAIR



**SES-HFC-002
ATTENDENT BED CUM CHAIR**



DESCRIPTION:

1. OPEN SIZE: 28LX30X43H INCH.
2. FRAME WORK MADE OF MS TUBES
3. THE FABRIC IS PRESSED PVC ARTIFICIAL LEATHER
4. THREE ANGLES ADJUSTABLE WITH ROTATABLE ARM
5. ONE SIDE BASKET AND ONE IV ROD WILL BE PROVIDED
6. FINISH : EPOXY POWDER COATED



OPD COUCH

SES-OPD-001

DESCRIPTION:

1. OVERALL SIZE: 71L X 24W X 18H INCH
2. FRAMEWORK MADE-UP OF RECTANGULAR /SQUARE M.S TUBES.
3. 5CM FOAM PADDED FIXED MATTRESS COVERED WITH REXENE
4. LEGS FITTED WITH PVC STUMPS.
5. FINISH: PRETREATED & EPOXY POWDER COATED.

HOSPITAL SOFA CUM BED SES-OPD-002

DESCRIPTION:

1. SEAT SIZE: 65 INCHES X 32 INCHES
2. FRAME WORK MADE OF MS TUBES
3. THE FABRIC IS PRESSED PVC ARTIFICIAL LEATHER
4. ANGLES MANUALLY ADJUSTABLE
5. ONE IV ROD WILL BE PROVIDED
6. FINISH: EPOXY POWER COATED



ECG TROLLEY SES-AI-001

DESCRIPTION:

- TRAY MADE OF ALUMINUM ALLOY, BASE & PIPE MADE OF MILD STEEL SHEET.
- WITH ALUMINUM BASKET UNDER TRAY.
- STAND ON 5 PCS OF WHEELS WITH BRAKE.
- SIZE: 16W X 13L



MONITOR TROLLEY SES-AI-002

DESCRIPTION:

- TRAY MADE OF ALUMINUM ALLOY, BASE & PIPE MADE OF MILD STEEL SHEET.
- WITH ALUMINUM BASKET UNDER TRAY.
- STAND ON 5 PCS OF WHEELS WITH BRAKE.
- SIZE: 11W X 12L



DIATHERMY TROLLEY SES-AI-003

DESCRIPTION:

- TRAY MADE OF ALUMINUM ALLOY, BASE & PIPE MADE OF MILD STEEL SHEET.
- WITH ALUMINUM BASKET UNDER TRAY.
- STAND ON 5 PCS OF WHEELS WITH BRAKE.
- SIZE: 11W X 12L



HOSPITAL SOFA CUM BED SES-OPD-003

- TOP SHELVES FIXED TOP APPROX SIZE - 560MM L X 460MM W OTHER SHELF SIZE - 510MM L X 460MM W
- SHELF ADJUSTMENTS 40MM SUITABLE FOR STORING MONITOR, PRINTER, STABILIZER, ETC
- FOUR SHELF M.S. DRAWERS AT BOTTOM
- 125MM DIA CASTOR TWO WITH BREAKS & TWO WITHOUT BREAKS
- HAVING 5/15 AMPERE BOARD
- HAVING 3 PIN PLUG ELECTRIC BOARD
- S.S. SALINE ROD & POWDER COATED OXYGEN CYLINDER ARRANGEMENT
- FINISH PRETESTED IN 11 TANK HOT PROCESS & EPOXY POWDER COATED



MEDICINE CABINET

SES-OAI-001

- COMPLETE STAINLESS STEEL FRAMEWORK
- TWO FRONT DOORS WITH GLASS
- THREE WAY LOCK SYSTEM
- FIVE S.S. SHELVES ADJUSTABLE MAKING SIX COMPARTMENT



E.C.G. TROLLEY SES-OAI-002

SPECIFICATION:-

- 3 TRAYS & 50MM DIA CASTOR, CABLE HANGER
- PRE-TREATED & EPOXY POWDER COATED.
- AVAILABLE IN FULL STAINLESS STEEL / EPOXY POWDER COATED FRAME WITH S.S TOP.



SURGICAL INSTRUMENT CABINET

SES-OAI-003

SPECIFICATION:-

- MADE FROM MACHINE PRESSED CRCA SHEET
- FRONT DOOR WITH GLASS
- THREE WAY LOCK SYSTEM
- FIVE GLASS SHELVES ADJUSTABLE MAKING SIX COMPARTMENT
- FINISH PRETESTED IN 11 TANK HOT PROCESS & EPOXY POWDER COATED



SES-ECT-001



SES-ECT-002



SES-ECT-003



SES-ECT-004



SES-ECT-005



SES-ECT-006



SES-ECT-007



SES-ECT-008



SES-ECT-009



SES-ECT-010



SES-ECT-011



SES-ECT-012



SES-ECT-013



SES-ECT-014



SES-ECT-015



SES-ECT-016



SES-ECT-017



SES-ECT-018



SES-ECT-019



SES-ECT-020



SES-ECT-021



SES-ECT-022



SES-ECT-023



SES-ECT-024



SES-ECT-025



SES-ECT-026



SES-HST-001



SES-HST-002



SES-HST-003



SES-HST-004



SES-HST-005



SES-HST-006



SES-HST-007



SES-HST-008



SES-HST-09



SES-HST-010



SES-HST-011



SES-HST-012



SES-HST-013



SES-HST-014



SES-HST-015



SES-HST-016



SES-HS-001



SES-HS-002



SES-HS-003



SES-HS-004



SES-HS-005



SES-HS-006



SES-HS-007



SES-HS-008



SES-HS-009



SES-HS-010



SES-HS-011



SES-HS-012



SES-HS-013



SES-HS-014



SES-HS-015



SES-HS-016



SES-HS-017



SES-HS-018



SES-BSL-001



SES-BSL-002



SES-BSL-003



SES-BSL-004



SES-BSL-005



SES-BSL-006



SES-BSL-007



SES-BSL-008



SES-BSL-009



SES-BSL-010



SES-BSL-011



SES-BSL-012



SES-BSL-013



SES-BSL-014



SES-BSL-015



SES-BSL-016



SES-BSL-017



SES-BSL-018



SES-BSL-019



SES-BSL-020



SES-BSL-021



SES-BSL-022



SES-BSL-023



SES-BSL-024



SES-BSL-025



SES-BSL-026



SES-BSL-027



SES-OBT-001



SES-OBT-002



SES-OBT-003



SES-OBT-004



SES-OBT-005



SES-OBT-006



SES-OBT-007



SES-OBT-008



SES-OBT-009



SES-OBT-010



SES-OBT-011



SES-OBT-012



SES-OBT-013



SES-OBT-014



SES-OBT-015



SES-OBT-016



SES-OBT-017



SES-OBT-018



SES-OBT-019



SES-OBT-020



SES-OBT-021



SES-OBT-022



SES-OBT-023



SES-SS-001



SES-SS-002



SES-SS-003



SES-SS-004



SES-SS-005



SES-SS-006



SES-SS-007



SES-SS-008



SES-SS-009



SES-SS-010



SES-SS-011




SES-SS-012



SES-SS-013



SES-SS-014



SES-SS-015



SES-SS-016



SES-SS-017



SES-SS-018



SES-SS-019



SES-SS-020



SES-SS-021



SES-SS-022



SES-HWC-001



SES-HWC-002



SES-HWC-003



SES-HWC-004



SES-HWC-005



SES-HWC-006



SES-HDT-001



SES-HDT-002



SES-HDT-003



SES-HDT-004



SES-HDT-005



SES-HDT-006



SES-HDT-007



SES-HDT-009



SES-HDT-008



SES-HDT-010



SES-HDT-011



SES-HDT-012



SES-HDT-013



SES-HBSS-001



SES-HBSS-002



SES-HBSS-003



SES-HBSS-004



SES-HBSS-005



SES-HBSS-006



SES-CC-001



SES-CC-002



SES-CC-003



SES-CC-004



SES-CC-005



SES-CC-006



SES-CC-007



SES-CC-008



SES-HSS-009



SES-HSS-010



SES-HSS-011



SES-HSS-001



SES-HSS-002



SES-HSS-003



SES-HSS-004



SES-HSS-005



SES-HSS-006



SES-HSS-007



SES-HSS-008



SES-HSS-009



SES-SLB-001



SES-SLB-002



SES-SLB-003



SES-SLB-004



SES-SLB-005



SES-SLB-006



SES-SLB-007



SES-SLB-008



SES-SLB-009



SES-SLB-010



SES-SLB-012



SES-SLB-011



**SYRINGE PUMP STAND
SES-AI-004**

Description:

1. The stands come with 4 adjustable shelves to hold syringe pumps.
2. Provided with electrical connections at the bottom of the stands, where all the 4 pumps can be plugged at a time.
3. Complete stand on mobile with 50mm dia castors.

BABY COT SES-BC-001



Description:

- Size: 35Lx 20x 31-39 inch
- Blue & Pink Plastic bassinet
- Height is adjustable by gas spring
- Four imported swivel castors, two with brakes.



**BABY CRADLE SS
SES-BC-002**

Description:

1. Overall Approx. Size : 36" X 15"X39"
2. Stand frame work made of SS 25 mm X 1.22 mm S.S tubular pipe
3. Legs fitted PVC Stumps
4. Wire mesh hanging cradle made of 19 mm X 1.22 mm SS tube and wire mesh on 5 mm thick.



**BABY COT
SES-BC-003**

Description:

- Strong tubular mild steel on four rubber stumps with fixed bright bar mesh crib.
Pretreated epoxy coated finish.
Size:



**BABY COT
SES-BC-004**

Description:

- Strong tubular stainless steel on four rubbers stumps with fixed bright bar mesh crib.



BABY CRADLE

SES-BC-005

Specification:-

- Along with two of hooks for obtaining tilt position
- Stand frame work made of M.S. tubular pipe
- Legs fitted with PVC stumps
- Finish pre-treated and epoxy powder coated.

BABY CRADLE



SES-BC-006

- Preprex transparent crib with mattress..
- Trendlenburg /Reverse trendlenburg adjustable manually
- S.S. Tubular frame work fitted with 50mm Dia. Castor, I.V. Rod.



BABY CRADLE

SES-BC-007

Specification:

- Preprex transparent crib with mattress.
- Trendlenburg /Reverse trendlenburg adjustable manually
- S.S. Tubular frame work fitted with 50mm Dia. Castor, I.V. Rod



SES-CT-001



SES-CT-002



SES-CT-003



SES-CT-004



SES-CT-005



SES-CT-007



SES-CT-006



SES-CT-008

INFANT WARMER

SES-AI-005

Dimensions:

- Size: 35W x 43D x 73H Inch.
- Mattress Size: 27 x 20 x 1.5 Inch
- Monitor Tray Size: 11 x 13 inch

Description:

1. HEATER: ± 900 on both sides
 2. HEATER ROTATION: parabolic reflector
 3. OBSERVATION LAMP: 50W haze free halogen lamp
 4. MONITOR TRA: ABS plastic molded
 5. SIDE PANELS: unbreakable polycarbonate drop down
 6. WHEELS: strong castor wheels with 2 braes
 7. MATTRESS: waterproof, washable, flame resistant
 8. MATTRESS FOAM DENSITY: 21-25 KG/M3
 9. IV POLE: adjustable height with two poles
 10. INFUSION PUMP STAND: stainless steel rod
 11. TEMPERATURE SENSOR: thermostat based NTE sensor with high resolution
- Temperature Control
 - Alarms.



Dimensions:

- Size: 35W x 43D x 73H Inch.
- Mattress Size: 27 x 20 x 1.5 Inch

Description:

1. HEATER: ± 900 on both sides
 2. HEATER ROTATION: parabolic reflector
 3. OBSERVATION LAMP: 50W haze free halogen lamp
 4. MONITOR TRAY: ABS plastic molded
 5. SIDE PANELS: unbreakable polycarbonate drop down
 6. WHEELS: strong castor wheels with 2 brake
 7. MATTRESS: waterproof, washable, flame resistant
 8. MATTRESS FOAM DENSITY: 21-25 kg/m3
 9. IV POLE: adjustable height with two poles
 10. INFUSION PUMP STAND: stainless steel rod
 11. TEMPERATURE SENSOR: thermistor based NTE sensors with high resolution
- Temperature Control.
 - Alarms.



INFANT WARMER

SES-AI-006



WARMER WITH PHOTOTHERAPY

SES-AI-007

Description:

- Micro processor based servo controlled electronic controller
- Skin air and manual control with LCD screen
- Two bright digital displays combination of RED and GREEN continues monitoring of baby temp and set temp, set temp easily switchable to oC to oF
- Source box made with high quality FRR grade fiber material for extra safety from electric shocks and corrosion.
- Newly designed oval shape baby tray with four sides collapsible clear acrylic panels, head up & down tilting facility for baby tray.
- German make ceramic Theater with parabolic reflector to maintain uniform temp across the mattress with swiveling source box easy to take x-ray and procedures
- Latest high bright super flux LED top surface phototherapy with digital timer

Description:

Uniform light distribution

- With 11 high intensity LED lamps.
- lamp unit size 45cm x 30cm x 5cm
- Lamp tilt up to 90o
- Height adjustability up to 50cm
- Life of lamps-30000 hours
- Zero noise cooling fan
- Effective irradiance >30μw/cm²
- Smooth mobility lockable, anti-static caster wheels
- Easy installation & low maintenance

Light weight

Lamp unit weight not more than 3 kg. Easily removable From trolley to use over incubator or under surface phototherapy.



SES-AI-008

LED PHOTOTHERAPY UNITS



LED DOUBLE SURFACE PHOTOTHERAPY UNIT

SES-AI-009

Description:

- Overhead LED module has 11 high intensity LED lamps and 2 white LEDs for observation
 - Undersurface LED module also has 11 high intensity LED lamps and 2 white LEDs for observation
- Sturdy baby trolley consists of
- Collapsible side panels
 - Transparent baby tray with bubble mattress
 - Height adjustment and angle adjustment for overhead LED module



SURGIVAC

SES-AI-010

Description:

- Housing: Power Coated Anti Corrosive MS.
- Jars: Glass 2 x 1.5 liters capacity.
- Overflow Protection: Mechanical Type.
- Tubing: Non-Collapsible suction tubing.
- Vacuum Gauge: 2.5 inch, 0-760 mm Hg.
- Filter: Bacterial filter Autoclavable / Reusable.
- Pump Type: Oil Immersed Rotary vane.
- Capacity: -710mmHg \pm 10 at 25~30LPM
- Noise Level: <50dB A \pm 3 Almost whispers.
- Motor: ¼ HP, FHP
- Power: 220/230V AC, 50Hz, 180W
- RPM: 1440



INSTAVAC

SES-AI-011

Description:

- Housing: Complete ABS (Plastic)
- Jars: Polycarbonate 2 x 2.0 liters capacity.
- Overflow Protection: Mechanical Type.
- Tubing: Non-Collapsible suction tubing.
- Vacuum Gauge: 3.0 inch, 0-760 mm Hg.
- Filter: Bacterial filter Autoclavable / Reusable.
- Pump Type: Oil free twin headed piston pump
- Capacity: -710mmHg \pm 10 at 32~35LPM
- Noise Level: <50dB A \pm 3 Almost whispers.
- Motor: Thermally Protected.
- Power: 220/230V AC, 50Hz, 130W
- Valves: Stainless Steel.



POWERVAC

SES-AI-012

Description:

- **Housing:** Power Coated Anti Corrosive MS.
- **Jars:** Polycarbonate 2 x 2.0 liters capacity.
- **Overflow Protection:** Mechanical Type.
- **Tubing:** Non-Collapsible suction tubing.
- **Vacuum Gauge:** 2.0inch, 0-760 mm Hg.
- **Filter:** Bacterial filter Autoclavable / Reusable.
- **Pump Type:** Oil free twin headed piston pump
- **Capacity:** -730mmHg ± 10 at 55~60LPM
- **Noise Level:** <50dB A ± 3 Almost whispers.
- **Motor:** Thermally Protected.
- **Power:** 220/230V AC, 50Hz, 180W
- **Valves:** Stainless Steel.



SUCTION APPARATUS

SES-AI-013

Description:

- **Jar Capacity:** 2 X 2500ml
- **Application:** Medical
- **Operation Mode:** Electrical
- **Capacity:** -720 mm Hg
- **Brand:** Supreme
- **Pump Type:** Oil Immersed Vacuum Pump
- **Jar Material:** Polycarbonate
- **Model:** Accelerator
- **Features:** Aspirator, High Vacuum, Mobile Suction Units
- **Material:** Powder Coated Mild Steel, Stainless Steel



LIPOVAC

SES-AI-014

Description:

- **Housing:** Power Coated Anti Corrosive MS.
- **Jars:** Polycarbonate 2 x 2.5 liters capacity.
- **Overflow Protection:** Mechanical Type.
- **Tubing:** Non-Collapsible suction tubing.
- **Vacuum Gauge:** 4.0inch, 0-760 mm Hg.
- **Filter:** Bacterial filter Autoclavable / Reusable.
- **Pump Type:** Oil free twin headed piston pump
- **Capacity:** -730mmHg ± 10 at 95~100LPM
- **Noise Level:** <50dB A ± 3 Almost whispers.
- **Motor:** Thermally Protected.
- **Power:** 220/230V AC, 50Hz, 480W
- **Valves:** Stainless Steel



SES-AI-015

SUCTION EXTRACTOR

Description:

- **Vacuum Pump:** Double Head Piston Pump
- **Max. Vacuum:** -720 ± 10mm Hg
- **LPM:** 55 ~ 60 LPM
- **Noise Level:** 50 ± 03dB
- **Jars:** 2 x 2000 ml
- **Power:** 200 Vacs, 1Ph, 130W
- SUCTION EXTRACTOR**
- **With Silicon Cups & Foot Switch**



**HIGH PRESSURE STEAM
STERILIZER
SES-AI-016**

Description:

Horizontal cylindrical electrically operated at 440 volts. A.C 3 phase, 50 cycles. The sterilizer is pressure type steam jacketed, made from 304 quality stainless steel. All joints are argon arc welded. Fitted with multiport operating valve, sterilizing vacuum drier, safety valve in jacket

(spring), vacuum breaker pressure gauge, compound gauge, dial thermometer, perforated tray, plug screen, steam trap and neoprene rubber gasket working pressure 20lbs p.s.i. And temperature range 2500 F, The door made of gun metal and covered with stainless steel lining

and have automatic self locking device. The outside will be well insulated. The boiler which is to be fitted below will be made of corrosion resistant 304 quality stainless steel it will be fitted with immersion heaters low water protection device, pressure controller, a contractor and toggle switch.

SIZE:

The Sterilizer is mounted on tubular mild steel frame with ground leveling flingers.

E. Load

16" * 36" 6.0 K. W

16" * 48" 9.0 K.W.

20" * 48" 12 K.W. Optional: Printer Available

30" * 48" 18 K.W

SES-AI-017

RECTANGULAR HIGH PRESSURE STEAM STERILIZER



Description:

Size/capacity: 190ltr-850ltr

The sterilizer is based on the principle that microbiological action of Saturated steam at elevated temperature is rapid and thorough. All models work on principle of downward displacement of air which is most economical method obtaining sterilization.

Construction:

Triple walled with steam storage, inner chamber, outer wall, lid and right are made of s.s.304 grade material with leak proof argon welding. Autoclave is mounted on stainless steel frame with ground leveling screwed flanges.

Equipped with:

The pressure control device, digital temperature controller with digital timer & alarm low water cut off device, multiport valve etc. is incorporated.

Operation temp & pressure:

Sterilizing temp: 121°C to 134°C

Sterilizing pressure: 1.2 to 1.5 kg/cm² (15 psi-30 psi)

Power: suitable to operate on 440V, 3ph, 50 Hz, AC supply

VERTICAL HIGH PRESSURE STERILIZER

Description:

Bowl construction made of SS. Cast iron base. Fitting elements are brass. Covered with chrome.

Specification:

Capacity of 11" * 9" 2 pcs

11" * 11" 2 pcs & 15" * 12" 2 pcs.

12" dia * 20" H (3k.w. heater)

12" dia * 24" H (4k.w. heater)

16" dia * 24" H (5k.w. heater)



SES-AI-018

VERTICAL STERILIZER SES-AI-019



Description:

Vertical sterilizer used for sterilizing of surgical instruments. Dressing material, linen, Rubber, plastic material, injection liquids by means of steam under pressure of 15 to 20 PSI.

(Adjustable) All sterilizers are hydraulically tested up to 2.5 times of working pressure. Outer chamber made of stainless steel sheet reinforced with M. S sheet Lid is made of thick stainless steel plate single piece and closed by wing nuts arrangement. Joint less neoprene gasket does not allow leakage. Fitted with double safety valve, water level indicator, water inlet and drain valves, supplied complete with cord and plug but without dressing bins. To work on 220volts, single phase, 50 Hz AC supply. Available in following size Dia Depth Element Load total load A300 500 2 Nos. 2 Kw B 400 600 2 Nos. 3Kw 6Kw



VERTICAL AUTOCLAVE SES-AI-020

Description:

SIS 2022-Made of SS dia cast silicon alloy Lm6, with highly polished body. Provided with pressure gauge, safety valve, steam release cock, Perforated aluminum tray, 8 bekalitefly nuts, spring handles and one synthetic rubber gasket for lid available in 3 different ways of operation. Working pressure 15-17lbs and hydraulic tested 40lbs and dry ster-ilization fitted with iron stand without drums. Stove or Gas/ Electrically operated 220/30volts, AC.

Sizes: 12 x 12" wattage 1.5 K.W

AUTOCLAVE STERILIZER SES-AI-021



- Available in Electric / Non Electric (fuel Based)
- Also available with semi – Automatic (Timer Based)
- Special features as per Auto clave cooker Type Aluminum
- All size are approximate.

INSTRUMENT STERILIZER ELECTRIC SES-AI-022

Description:

Size: 20L x 6H x 8W inch.
E.Load: 1.5KW (16 x 6 x 6)





SES-AI-023

WASH BASIN STAND

Specification:-

- S.S. tubular frame work
- 50mm Dia. Castors
- S.S. finish matt



SES-AI-024



BACKREST

Specification:-

- Overall Approx. Size – 610mm W X510mm H
- Tubular frame work finish
- Finish pretested in 11 tank hot process & epoxy powder coated



SES-AI-025

MAYO,S TROLLEY

Specification:-

- Tray made of 0.9 mm thick S.S. 304 grade sheet.
- Complete S.S. tubular frame work
- 50mm Dia. Non rusting Castors
- Finish : S.S. Frame with S.S. top.

INSTRUMENT TRAY WITH COVER



FORMALIN CHAMBER



CIDEX TRAY



**DRESSING DRUM
HEAVY JOINED**



KIDNEY TRAY

BABY TARY



**DRESSING DRUM
HEAVY SEEMLESS**



**BED PAN
WITH COVER SS**



**SURGICAL WASH
BASIN**



DRESSING DRUM



KICK BOWL

URINAL POT SS



KNIFE DISH



SPUTAN MUG



FOOT STEPS



FOOT STEPS



FOOT STEPS





Alconcleanroom



factoryharidwar



Alconcleanroom



Alconcleanroom



Alconcleanroom



alconcleanroom@gmail.com



www.alconcleanroom.com



+91-8429728242 / +91-1334312074



**D-28 INDUSTRIAL AREA
BAHADRABAD , HARIDWAR
(U.K)**



BE VOCAL TO CHOOSE LOCAL